


2/12

Fig. 2



SECOND PATTERN (x%2) &&! (y%2)

G	9	
9	9	

FOURTH PATTERN (x%2) && (y%2)

! (x%2) && (y%2)


			Г
	В	В	
	В	В	
•			

9	9	
9	9	

Fig. 3


R (0, 0)	G(1,0)	R (2, 0)	G (3, 0)	R (4, 0)	
G(0, 1)	B(1, 1)	G(2, 1)	B(3, 1)	G(4, 1)	
R (0, 2)	G(1, 2)	R (2, 2)	G (3, 2)	R (4, 2)	
G(0, 3)	B(1, 3)	G(2, 3)	B(3, 3)	G(4, 3)	
R (0, 4)	G(1, 4)	R (2, 4)	G(3, 4)	R (4, 4)	

Fig. 4



4/12

Fig. 5




## 5/12


## Fig. 6

R(0,0)	G(1,0) r,b	R (2, 0)	G(3, 0) r, b	R (4, 0)
G(0, 1) r, b	B(1, 1) g	G(2, 1) r, b	B(3, 1) g	G (4, 1) r, b
R (0, 2)	G (1, 2) r, b	R (2, 2) g	G (3, 2) r, b	R (4, 2)
G(0, 3) r, b	B(1, 3)	G(2, 3) r, b	B(3, 3)	G(4, 3) r, b
R (0, 4) g	G(1, 4) r, b	R (2, 4) g	G(3, 4) r, b	R(4, 4)

Fig. 7A





## Fig. 7B



7 /0

Fig. 8








Fig. 11




Fig. 12

